



The State of New Hampshire
DEPARTMENT OF ENVIRONMENTAL SERVICES



Robert R. Scott, Commissioner

August 8, 2023



Subject: Groundwater Contamination Notification Program
NHDES Site: Unitil Energy Systems Inc (NHDES Site 199404022)
Site Address: 114 Drinkwater Road, Kensington NH
Property Receiving Notification: 124 DRINKWATER ROAD, KENSINGTON, NH
Parcel Identification Number: 18-034-000

Dear Property Owner:

The New Hampshire Department of Environmental Services (NHDES) is required by statute to notify owners of all property which contains a water supply well and is within 500 horizontal feet of a well where contamination is discovered.

Please be advised that NHDES has recently obtained information that one or more groundwater monitoring wells within 500 feet of the property referenced in the subject line exceeds the Ambient Groundwater Quality Standards (AGQS) for one or more of the following contaminants: perfluorooctane sulfonic acid (PFOS), perfluorooctanoic acid (PFOA), or pentachlorophenol (PCP). Please see Table 1 for additional information.

You may disregard this notice if you do not have a water supply well on your property.

This notice is not intended to alarm you – it is for informational purposes and being sent to comply with the groundwater contamination notification requirement of RSA 485-C:14-b, effective May 17, 2004. Laboratory analysis of your drinking water is the only way to find out if your well has been impacted.

Should you wish to sample on your own, a list of accredited laboratories providing well water testing in New Hampshire is available on the [NHDES Private Wells](#) webpage by using the “[FIND A LAB](#)”¹ link. If you elect to sample, please consider sharing your results with NHDES to help characterize the extent of contamination.

If you have any questions regarding this notice, please feel free to contact Jarred Swiontek at (603) 271-1358 or via email at Jarred.P.Swiontek@des.nh.gov. Thank you for your attention to this notice.

¹ <https://tinyurl.com/nhwatertests>, please note that links are case sensitive.

Sincerely,

A handwritten signature in cursive script that reads "Eli Herman".

Eli Herman

Hazardous Waste Remediation Bureau

Tel: (603) 271-2979

Email: Elijah.M.Herman@des.nh.gov

Attn: Table 1 – Groundwater Contamination Notification Program, Notification:
HWRB_20230615_1

ec: Kensington Health Officer
Jarred Swiontek, P.G., NHDES HWRB
Amy Renzi, P.G., State Sites Supervisor, NHDES HWRB

GROUNDWATER CONTAMINATION NOTIFICATION PROGRAM

NOTIFICATION: HWRB_20230615_1

You are being contacted because property you own is within 500 feet of one or more of the samples referenced in the table below. An interactive map of sample locations in the NHDES Environmental Monitoring Database may be found at the following link. NHDES continues to add points to this map as analytical results become available.

<https://tinyurl.com/NHPFASMap>

The current Ambient Groundwater Quality Standard (AGQS) for perfluorooctane sulfonic acid (PFOS) is 15 nanograms per liter (ng/L); perfluorooctanoic acid (PFOA) is 12 ng/L. The current AGQS for pentachlorophenol (PCP) is 1 microgram per liter (ug/L).

STATION ID	ADDRESS	TOWN	DATE	PFOS (ng/L)	PFOA (ng/L)	PCP (ug/L)
GZ-2	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	2.04	2.83	1.2 J
GZ-3	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	7.9	1.7 J	1.8 J
GZ-5	114 DRINKWATER ROAD	KENSINGTON	3/17/2022	171	30.4	< RL
GZ-9U	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	30.3	25.3	Not Sampled
BW-2R	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	21.3	34.2	Not Sampled

(1) Highlighted and bold values exceed respective AGQS

(2) "J" indicates that the laboratory result is an estimated concentration as the analyte exceeds the range of the calibration curve and/or linear range of the instrument.

(3) "Reporting Limit (RL)" means that this is the lowest concentration that can be reported with accuracy by the laboratory. <RL signifies that the compound may be present at concentrations that are less than the RL.



The State of New Hampshire
DEPARTMENT OF ENVIRONMENTAL SERVICES



Robert R. Scott, Commissioner

August 8, 2023



Subject: Groundwater Contamination Notification Program
NHDES Site: Unitil Energy Systems Inc (NHDES Site 199404022)
Site Address: 114 Drinkwater Road, Kensington NH
Property Receiving Notification: 122 DRINKWATER ROAD, KENSINGTON, NH
Parcel Identification Number: 18-033-000

Dear Property Owner:

The New Hampshire Department of Environmental Services (NHDES) is required by statute to notify owners of all property which contains a water supply well and is within 500 horizontal feet of a well where contamination is discovered.

Please be advised that NHDES has recently obtained information that one or more groundwater monitoring wells within 500 feet of the property referenced in the subject line exceeds the Ambient Groundwater Quality Standards (AGQS) for one or more of the following contaminants: perfluorooctane sulfonic acid (PFOS), perfluorooctanoic acid (PFOA), or pentachlorophenol (PCP). Please see Table 1 for additional information.

You may disregard this notice if you do not have a water supply well on your property.

This notice is not intended to alarm you – it is for informational purposes and being sent to comply with the groundwater contamination notification requirement of RSA 485-C:14-b, effective May 17, 2004. Laboratory analysis of your drinking water is the only way to find out if your well has been impacted.

Should you wish to sample on your own, a list of accredited laboratories providing well water testing in New Hampshire is available on the [NHDES Private Wells](#) webpage by using the “[FIND A LAB](#)”¹ link. If you elect to sample, please consider sharing your results with NHDES to help characterize the extent of contamination.

If you have any questions regarding this notice, please feel free to contact Jarred Swiontek at (603) 271-1358 or via email at Jarred.P.Swiontek@des.nh.gov. Thank you for your attention to this notice.

¹ <https://tinyurl.com/nhwatertests>, please note that links are case sensitive.

Sincerely,

A handwritten signature in cursive script that reads "Eli Herman".

Eli Herman

Hazardous Waste Remediation Bureau

Tel: (603) 271-2979

Email: Elijah.M.Herman@des.nh.gov

Attn: Table 1 – Groundwater Contamination Notification Program, Notification:
HWRB_20230615_1

ec: Kensington Health Officer
Jarred Swiontek, P.G., NHDES HWRB
Amy Renzi, P.G., State Sites Supervisor, NHDES HWRB

GROUNDWATER CONTAMINATION NOTIFICATION PROGRAM

NOTIFICATION: HWRB_20230615_1

You are being contacted because property you own is within 500 feet of one or more of the samples referenced in the table below. An interactive map of sample locations in the NHDES Environmental Monitoring Database may be found at the following link. NHDES continues to add points to this map as analytical results become available.

<https://tinyurl.com/NHPFASMap>

The current Ambient Groundwater Quality Standard (AGQS) for perfluorooctane sulfonic acid (PFOS) is 15 nanograms per liter (ng/L); perfluorooctanoic acid (PFOA) is 12 ng/L. The current AGQS for pentachlorophenol (PCP) is 1 microgram per liter (ug/L).

STATION ID	ADDRESS	TOWN	DATE	PFOS (ng/L)	PFOA (ng/L)	PCP (ug/L)
GZ-2	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	2.04	2.83	1.2 J
GZ-3	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	7.9	1.7 J	1.8 J
GZ-5	114 DRINKWATER ROAD	KENSINGTON	3/17/2022	171	30.4	< RL
GZ-9U	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	30.3	25.3	Not Sampled
BW-2R	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	21.3	34.2	Not Sampled

(1) Highlighted and bold values exceed respective AGQS

(2) "J" indicates that the laboratory result is an estimated concentration as the analyte exceeds the range of the calibration curve and/or linear range of the instrument.

(3) "Reporting Limit (RL)" means that this is the lowest concentration that can be reported with accuracy by the laboratory. <RL signifies that the compound may be present at concentrations that are less than the RL.



The State of New Hampshire
DEPARTMENT OF ENVIRONMENTAL SERVICES



Robert R. Scott, Commissioner

August 8, 2023



Subject: Groundwater Contamination Notification Program
NHDES Site: Unitil Energy Systems Inc (NHDES Site 199404022)
Site Address: 114 Drinkwater Road, Kensington NH
Property Receiving Notification: 121 DRINKWATER ROAD, KENSINGTON, NH
Parcel Identification Number: 18-001-002

Dear Property Owner:

The New Hampshire Department of Environmental Services (NHDES) is required by statute to notify owners of all property which contains a water supply well and is within 500 horizontal feet of a well where contamination is discovered.

Please be advised that NHDES has recently obtained information that one or more groundwater monitoring wells within 500 feet of the property referenced in the subject line exceeds the Ambient Groundwater Quality Standards (AGQS) for one or more of the following contaminants: perfluorooctane sulfonic acid (PFOS), perfluorooctanoic acid (PFOA), or pentachlorophenol (PCP). Please see Table 1 for additional information.

You may disregard this notice if you do not have a water supply well on your property.

This notice is not intended to alarm you – it is for informational purposes and being sent to comply with the groundwater contamination notification requirement of RSA 485-C:14-b, effective May 17, 2004. Laboratory analysis of your drinking water is the only way to find out if your well has been impacted.

Should you wish to sample on your own, a list of accredited laboratories providing well water testing in New Hampshire is available on the [NHDES Private Wells](#) webpage by using the “[FIND A LAB](#)”¹ link. If you elect to sample, please consider sharing your results with NHDES to help characterize the extent of contamination.

If you have any questions regarding this notice, please feel free to contact Jarred Swiontek at (603) 271-1358 or via email at Jarred.P.Swiontek@des.nh.gov. Thank you for your attention to this notice.

¹ <https://tinyurl.com/nhwatertests>, please note that links are case sensitive.

Sincerely,

A handwritten signature in cursive script that reads "Eli Herman".

Eli Herman

Hazardous Waste Remediation Bureau

Tel: (603) 271-2979

Email: Elijah.M.Herman@des.nh.gov

Attn: Table 1 – Groundwater Contamination Notification Program, Notification:
HWRB_20230615_1

ec: Kensington Health Officer
Jarred Swiontek, P.G., NHDES HWRB
Amy Renzi, P.G., State Sites Supervisor, NHDES HWRB

GROUNDWATER CONTAMINATION NOTIFICATION PROGRAM

NOTIFICATION: HWRB_20230615_1

You are being contacted because property you own is within 500 feet of one or more of the samples referenced in the table below. An interactive map of sample locations in the NHDES Environmental Monitoring Database may be found at the following link. NHDES continues to add points to this map as analytical results become available.

<https://tinyurl.com/NHPFASMap>

The current Ambient Groundwater Quality Standard (AGQS) for perfluorooctane sulfonic acid (PFOS) is 15 nanograms per liter (ng/L); perfluorooctanoic acid (PFOA) is 12 ng/L. The current AGQS for pentachlorophenol (PCP) is 1 microgram per liter (ug/L).

STATION ID	ADDRESS	TOWN	DATE	PFOS (ng/L)	PFOA (ng/L)	PCP (ug/L)
GZ-2	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	2.04	2.83	1.2 J
GZ-3	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	7.9	1.7 J	1.8 J
GZ-5	114 DRINKWATER ROAD	KENSINGTON	3/17/2022	171	30.4	< RL
GZ-9U	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	30.3	25.3	Not Sampled
BW-2R	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	21.3	34.2	Not Sampled

(1) Highlighted and bold values exceed respective AGQS

(2) "J" indicates that the laboratory result is an estimated concentration as the analyte exceeds the range of the calibration curve and/or linear range of the instrument.

(3) "Reporting Limit (RL)" means that this is the lowest concentration that can be reported with accuracy by the laboratory. <RL signifies that the compound may be present at concentrations that are less than the RL.



The State of New Hampshire
DEPARTMENT OF ENVIRONMENTAL SERVICES



Robert R. Scott, Commissioner

August 8, 2023



Subject: Groundwater Contamination Notification Program
NHDES Site: Unitil Energy Systems Inc (NHDES Site 199404022)
Site Address: 114 Drinkwater Road, Kensington NH
Property Receiving Notification: 119 DRINKWATER ROAD, KENSINGTON, NH
Parcel Identification Number: 18-001-003

Dear Property Owner:

The New Hampshire Department of Environmental Services (NHDES) is required by statute to notify owners of all property which contains a water supply well and is within 500 horizontal feet of a well where contamination is discovered.

Please be advised that NHDES has recently obtained information that one or more groundwater monitoring wells within 500 feet of the property referenced in the subject line exceeds the Ambient Groundwater Quality Standards (AGQS) for one or more of the following contaminants: perfluorooctane sulfonic acid (PFOS), perfluorooctanoic acid (PFOA), or pentachlorophenol (PCP). Please see Table 1 for additional information.

You may disregard this notice if you do not have a water supply well on your property.

This notice is not intended to alarm you – it is for informational purposes and being sent to comply with the groundwater contamination notification requirement of RSA 485-C:14-b, effective May 17, 2004. Laboratory analysis of your drinking water is the only way to find out if your well has been impacted.

Should you wish to sample on your own, a list of accredited laboratories providing well water testing in New Hampshire is available on the [NHDES Private Wells](#) webpage by using the “[FIND A LAB](#)”¹ link. If you elect to sample, please consider sharing your results with NHDES to help characterize the extent of contamination.

If you have any questions regarding this notice, please feel free to contact Jarred Swiontek at (603) 271-1358 or via email at Jarred.P.Swiontek@des.nh.gov. Thank you for your attention to this notice.

¹ <https://tinyurl.com/nhwatertests>, please note that links are case sensitive.

Sincerely,

A handwritten signature in cursive script that reads "Eli Herman".

Eli Herman

Hazardous Waste Remediation Bureau

Tel: (603) 271-2979

Email: Elijah.M.Herman@des.nh.gov

Attn: Table 1 – Groundwater Contamination Notification Program, Notification:
HWRB_20230615_1

ec: Kensington Health Officer
Jarred Swiontek, P.G., NHDES HWRB
Amy Renzi, P.G., State Sites Supervisor, NHDES HWRB

GROUNDWATER CONTAMINATION NOTIFICATION PROGRAM

NOTIFICATION: HWRB_20230615_1

You are being contacted because property you own is within 500 feet of one or more of the samples referenced in the table below. An interactive map of sample locations in the NHDES Environmental Monitoring Database may be found at the following link. NHDES continues to add points to this map as analytical results become available.

<https://tinyurl.com/NHPFASMap>

The current Ambient Groundwater Quality Standard (AGQS) for perfluorooctane sulfonic acid (PFOS) is 15 nanograms per liter (ng/L); perfluorooctanoic acid (PFOA) is 12 ng/L. The current AGQS for pentachlorophenol (PCP) is 1 microgram per liter (ug/L).

STATION ID	ADDRESS	TOWN	DATE	PFOS (ng/L)	PFOA (ng/L)	PCP (ug/L)
GZ-2	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	2.04	2.83	1.2 J
GZ-3	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	7.9	1.7 J	1.8 J
GZ-5	114 DRINKWATER ROAD	KENSINGTON	3/17/2022	171	30.4	< RL
GZ-9U	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	30.3	25.3	Not Sampled
BW-2R	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	21.3	34.2	Not Sampled

(1) Highlighted and bold values exceed respective AGQS

(2) "J" indicates that the laboratory result is an estimated concentration as the analyte exceeds the range of the calibration curve and/or linear range of the instrument.

(3) "Reporting Limit (RL)" means that this is the lowest concentration that can be reported with accuracy by the laboratory. <RL signifies that the compound may be present at concentrations that are less than the RL.



The State of New Hampshire
DEPARTMENT OF ENVIRONMENTAL SERVICES



Robert R. Scott, Commissioner

August 8, 2023



Subject: Groundwater Contamination Notification Program
NHDES Site: Unitil Energy Systems Inc (NHDES Site 199404022)
Site Address: 114 Drinkwater Road, Kensington NH
Property Receiving Notification: 125 DRINKWATER ROAD, KENSINGTON, NH
Parcel Identification Number: 18-001-000

Dear Property Owner:

The New Hampshire Department of Environmental Services (NHDES) is required by statute to notify owners of all property which contains a water supply well and is within 500 horizontal feet of a well where contamination is discovered.

Please be advised that NHDES has recently obtained information that one or more groundwater monitoring wells within 500 feet of the property referenced in the subject line exceeds the Ambient Groundwater Quality Standards (AGQS) for one or more of the following contaminants: perfluorooctane sulfonic acid (PFOS), perfluorooctanoic acid (PFOA), or pentachlorophenol (PCP). Please see Table 1 for additional information.

You may disregard this notice if you do not have a water supply well on your property.

This notice is not intended to alarm you – it is for informational purposes and being sent to comply with the groundwater contamination notification requirement of RSA 485-C:14-b, effective May 17, 2004. Laboratory analysis of your drinking water is the only way to find out if your well has been impacted.

Should you wish to sample on your own, a list of accredited laboratories providing well water testing in New Hampshire is available on the [NHDES Private Wells](#) webpage by using the “[FIND A LAB](#)”¹ link. If you elect to sample, please consider sharing your results with NHDES to help characterize the extent of contamination.

If you have any questions regarding this notice, please feel free to contact Jarred Swiontek at (603) 271-1358 or via email at Jarred.P.Swiontek@des.nh.gov. Thank you for your attention to this notice.

¹ <https://tinyurl.com/nhwatertests>, please note that links are case sensitive.

Sincerely,

A handwritten signature in cursive script that reads "Eli Herman".

Eli Herman

Hazardous Waste Remediation Bureau

Tel: (603) 271-2979

Email: Elijah.M.Herman@des.nh.gov

Attn: Table 1 – Groundwater Contamination Notification Program, Notification:
HWRB_20230615_1

ec: Kensington Health Officer
Jarred Swiontek, P.G., NHDES HWRB
Amy Renzi, P.G., State Sites Supervisor, NHDES HWRB

GROUNDWATER CONTAMINATION NOTIFICATION PROGRAM

NOTIFICATION: HWRB_20230615_1

You are being contacted because property you own is within 500 feet of one or more of the samples referenced in the table below. An interactive map of sample locations in the NHDES Environmental Monitoring Database may be found at the following link. NHDES continues to add points to this map as analytical results become available.

<https://tinyurl.com/NHPFASMap>

The current Ambient Groundwater Quality Standard (AGQS) for perfluorooctane sulfonic acid (PFOS) is 15 nanograms per liter (ng/L); perfluorooctanoic acid (PFOA) is 12 ng/L. The current AGQS for pentachlorophenol (PCP) is 1 microgram per liter (ug/L).

STATION ID	ADDRESS	TOWN	DATE	PFOS (ng/L)	PFOA (ng/L)	PCP (ug/L)
GZ-2	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	2.04	2.83	1.2 J
GZ-3	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	7.9	1.7 J	1.8 J
GZ-5	114 DRINKWATER ROAD	KENSINGTON	3/17/2022	171	30.4	< RL
GZ-9U	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	30.3	25.3	Not Sampled
BW-2R	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	21.3	34.2	Not Sampled

(1) Highlighted and bold values exceed respective AGQS

(2) "J" indicates that the laboratory result is an estimated concentration as the analyte exceeds the range of the calibration curve and/or linear range of the instrument.

(3) "Reporting Limit (RL)" means that this is the lowest concentration that can be reported with accuracy by the laboratory. <RL signifies that the compound may be present at concentrations that are less than the RL.



The State of New Hampshire
DEPARTMENT OF ENVIRONMENTAL SERVICES



Robert R. Scott, Commissioner

August 8, 2023



Subject: Groundwater Contamination Notification Program
NHDES Site: Unitil Energy Systems Inc (NHDES Site 199404022)
Site Address: 114 Drinkwater Road, Kensington NH
Property Receiving Notification: 117 DRINKWATER ROAD, KENSINGTON, NH
Parcel Identification Number: 18-001-004

Dear Property Owner:

The New Hampshire Department of Environmental Services (NHDES) is required by statute to notify owners of all property which contains a water supply well and is within 500 horizontal feet of a well where contamination is discovered.

Please be advised that NHDES has recently obtained information that one or more groundwater monitoring wells within 500 feet of the property referenced in the subject line exceeds the Ambient Groundwater Quality Standards (AGQS) for one or more of the following contaminants: perfluorooctane sulfonic acid (PFOS), perfluorooctanoic acid (PFOA), or pentachlorophenol (PCP). Please see Table 1 for additional information.

You may disregard this notice if you do not have a water supply well on your property.

This notice is not intended to alarm you – it is for informational purposes and being sent to comply with the groundwater contamination notification requirement of RSA 485-C:14-b, effective May 17, 2004. Laboratory analysis of your drinking water is the only way to find out if your well has been impacted.

Should you wish to sample on your own, a list of accredited laboratories providing well water testing in New Hampshire is available on the [NHDES Private Wells](#) webpage by using the “[FIND A LAB](#)”¹ link. If you elect to sample, please consider sharing your results with NHDES to help characterize the extent of contamination.

If you have any questions regarding this notice, please feel free to contact Jarred Swiontek at (603) 271-1358 or via email at Jarred.P.Swiontek@des.nh.gov. Thank you for your attention to this notice.

¹ <https://tinyurl.com/nhwatertests>, please note that links are case sensitive.

Sincerely,

A handwritten signature in cursive script that reads "Eli Herman".

Eli Herman

Hazardous Waste Remediation Bureau

Tel: (603) 271-2979

Email: Elijah.M.Herman@des.nh.gov

Attn: Table 1 – Groundwater Contamination Notification Program, Notification:
HWRB_20230615_1

ec: Kensington Health Officer
Jarred Swiontek, P.G., NHDES HWRB
Amy Renzi, P.G., State Sites Supervisor, NHDES HWRB

GROUNDWATER CONTAMINATION NOTIFICATION PROGRAM

NOTIFICATION: HWRB_20230615_1

You are being contacted because property you own is within 500 feet of one or more of the samples referenced in the table below. An interactive map of sample locations in the NHDES Environmental Monitoring Database may be found at the following link. NHDES continues to add points to this map as analytical results become available.

<https://tinyurl.com/NHPFASMap>

The current Ambient Groundwater Quality Standard (AGQS) for perfluorooctane sulfonic acid (PFOS) is 15 nanograms per liter (ng/L); perfluorooctanoic acid (PFOA) is 12 ng/L. The current AGQS for pentachlorophenol (PCP) is 1 microgram per liter (ug/L).

STATION ID	ADDRESS	TOWN	DATE	PFOS (ng/L)	PFOA (ng/L)	PCP (ug/L)
GZ-2	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	2.04	2.83	1.2 J
GZ-3	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	7.9	1.7 J	1.8 J
GZ-5	114 DRINKWATER ROAD	KENSINGTON	3/17/2022	171	30.4	< RL
GZ-9U	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	30.3	25.3	Not Sampled
BW-2R	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	21.3	34.2	Not Sampled

(1) Highlighted and bold values exceed respective AGQS

(2) "J" indicates that the laboratory result is an estimated concentration as the analyte exceeds the range of the calibration curve and/or linear range of the instrument.

(3) "Reporting Limit (RL)" means that this is the lowest concentration that can be reported with accuracy by the laboratory. <RL signifies that the compound may be present at concentrations that are less than the RL.



The State of New Hampshire
DEPARTMENT OF ENVIRONMENTAL SERVICES



Robert R. Scott, Commissioner

August 8, 2023



Subject: Groundwater Contamination Notification Program
NHDES Site: Unitil Energy Systems Inc (NHDES Site 199404022)
Site Address: 114 Drinkwater Road, Kensington NH
Property Receiving Notification: 12 LAUREL LANE, KENSINGTON, NH
Parcel Identification Number: 18-021-000

Dear Property Owner:

The New Hampshire Department of Environmental Services (NHDES) is required by statute to notify owners of all property which contains a water supply well and is within 500 horizontal feet of a well where contamination is discovered.

Please be advised that NHDES has recently obtained information that one or more groundwater monitoring wells within 500 feet of the property referenced in the subject line exceeds the Ambient Groundwater Quality Standards (AGQS) for one or more of the following contaminants: perfluorooctane sulfonic acid (PFOS), perfluorooctanoic acid (PFOA), or pentachlorophenol (PCP). Please see Table 1 for additional information.

You may disregard this notice if you do not have a water supply well on your property.

This notice is not intended to alarm you – it is for informational purposes and being sent to comply with the groundwater contamination notification requirement of RSA 485-C:14-b, effective May 17, 2004. Laboratory analysis of your drinking water is the only way to find out if your well has been impacted.

Should you wish to sample on your own, a list of accredited laboratories providing well water testing in New Hampshire is available on the [NHDES Private Wells](#) webpage by using the “[FIND A LAB](#)”¹ link. If you elect to sample, please consider sharing your results with NHDES to help characterize the extent of contamination.

If you have any questions regarding this notice, please feel free to contact Jarred Swiontek at (603) 271-1358 or via email at Jarred.P.Swiontek@des.nh.gov. Thank you for your attention to this notice.

¹ <https://tinyurl.com/nhwatertests>, please note that links are case sensitive.

Sincerely,

A handwritten signature in cursive script that reads "Eli Herman".

Eli Herman

Hazardous Waste Remediation Bureau

Tel: (603) 271-2979

Email: Elijah.M.Herman@des.nh.gov

Attn: Table 1 – Groundwater Contamination Notification Program, Notification:
HWRB_20230615_1

ec: Kensington Health Officer
Jarred Swiontek, P.G., NHDES HWRB
Amy Renzi, P.G., State Sites Supervisor, NHDES HWRB

GROUNDWATER CONTAMINATION NOTIFICATION PROGRAM

NOTIFICATION: HWRB_20230615_1

You are being contacted because property you own is within 500 feet of one or more of the samples referenced in the table below. An interactive map of sample locations in the NHDES Environmental Monitoring Database may be found at the following link. NHDES continues to add points to this map as analytical results become available.

<https://tinyurl.com/NHPFASMap>

The current Ambient Groundwater Quality Standard (AGQS) for perfluorooctane sulfonic acid (PFOS) is 15 nanograms per liter (ng/L); perfluorooctanoic acid (PFOA) is 12 ng/L. The current AGQS for pentachlorophenol (PCP) is 1 microgram per liter (ug/L).

STATION ID	ADDRESS	TOWN	DATE	PFOS (ng/L)	PFOA (ng/L)	PCP (ug/L)
GZ-2	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	2.04	2.83	1.2 J
GZ-3	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	7.9	1.7 J	1.8 J
GZ-5	114 DRINKWATER ROAD	KENSINGTON	3/17/2022	171	30.4	< RL
GZ-9U	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	30.3	25.3	Not Sampled
BW-2R	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	21.3	34.2	Not Sampled

(1) Highlighted and bold values exceed respective AGQS

(2) "J" indicates that the laboratory result is an estimated concentration as the analyte exceeds the range of the calibration curve and/or linear range of the instrument.

(3) "Reporting Limit (RL)" means that this is the lowest concentration that can be reported with accuracy by the laboratory. <RL signifies that the compound may be present at concentrations that are less than the RL.



The State of New Hampshire
DEPARTMENT OF ENVIRONMENTAL SERVICES



Robert R. Scott, Commissioner

August 8, 2023



Subject: Groundwater Contamination Notification Program
NHDES Site: Unitil Energy Systems Inc (NHDES Site 199404022)
Site Address: 114 Drinkwater Road, Kensington NH
Property Receiving Notification: 108 DRINKWATER ROAD, KENSINGTON, NH
Parcel Identification Number: 18-030-000

Dear Property Owner:

The New Hampshire Department of Environmental Services (NHDES) is required by statute to notify owners of all property which contains a water supply well and is within 500 horizontal feet of a well where contamination is discovered.

Please be advised that NHDES has recently obtained information that one or more groundwater monitoring wells within 500 feet of the property referenced in the subject line exceeds the Ambient Groundwater Quality Standards (AGQS) for one or more of the following contaminants: perfluorooctane sulfonic acid (PFOS), perfluorooctanoic acid (PFOA), or pentachlorophenol (PCP). Please see Table 1 for additional information.

You may disregard this notice if you do not have a water supply well on your property.

This notice is not intended to alarm you – it is for informational purposes and being sent to comply with the groundwater contamination notification requirement of RSA 485-C:14-b, effective May 17, 2004. Laboratory analysis of your drinking water is the only way to find out if your well has been impacted.

Should you wish to sample on your own, a list of accredited laboratories providing well water testing in New Hampshire is available on the [NHDES Private Wells](#) webpage by using the “[FIND A LAB](#)”¹ link. If you elect to sample, please consider sharing your results with NHDES to help characterize the extent of contamination.

If you have any questions regarding this notice, please feel free to contact Jarred Swiontek at (603) 271-1358 or via email at Jarred.P.Swiontek@des.nh.gov. Thank you for your attention to this notice.

¹ <https://tinyurl.com/nhwatertests>, please note that links are case sensitive.

Sincerely,

A handwritten signature in cursive script that reads "Eli Herman".

Eli Herman

Hazardous Waste Remediation Bureau

Tel: (603) 271-2979

Email: Elijah.M.Herman@des.nh.gov

Attn: Table 1 – Groundwater Contamination Notification Program, Notification:
HWRB_20230615_1

ec: Kensington Health Officer
Jarred Swiontek, P.G., NHDES HWRB
Amy Renzi, P.G., State Sites Supervisor, NHDES HWRB

GROUNDWATER CONTAMINATION NOTIFICATION PROGRAM

NOTIFICATION: HWRB_20230615_1

You are being contacted because property you own is within 500 feet of one or more of the samples referenced in the table below. An interactive map of sample locations in the NHDES Environmental Monitoring Database may be found at the following link. NHDES continues to add points to this map as analytical results become available.

<https://tinyurl.com/NHPFASMap>

The current Ambient Groundwater Quality Standard (AGQS) for perfluorooctane sulfonic acid (PFOS) is 15 nanograms per liter (ng/L); perfluorooctanoic acid (PFOA) is 12 ng/L. The current AGQS for pentachlorophenol (PCP) is 1 microgram per liter (ug/L).

STATION ID	ADDRESS	TOWN	DATE	PFOS (ng/L)	PFOA (ng/L)	PCP (ug/L)
GZ-2	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	2.04	2.83	1.2 J
GZ-3	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	7.9	1.7 J	1.8 J
GZ-5	114 DRINKWATER ROAD	KENSINGTON	3/17/2022	171	30.4	< RL
GZ-9U	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	30.3	25.3	Not Sampled
BW-2R	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	21.3	34.2	Not Sampled

(1) Highlighted and bold values exceed respective AGQS

(2) "J" indicates that the laboratory result is an estimated concentration as the analyte exceeds the range of the calibration curve and/or linear range of the instrument.

(3) "Reporting Limit (RL)" means that this is the lowest concentration that can be reported with accuracy by the laboratory. <RL signifies that the compound may be present at concentrations that are less than the RL.



The State of New Hampshire
DEPARTMENT OF ENVIRONMENTAL SERVICES



Robert R. Scott, Commissioner

August 8, 2023



Subject: Groundwater Contamination Notification Program
NHDES Site: Unitil Energy Systems Inc (NHDES Site 199404022)
Site Address: 114 Drinkwater Road, Kensington NH
Property Receiving Notification: 123 DRINKWATER ROAD, KENSINGTON, NH
Parcel Identification Number: 18-001-001

Dear Property Owner:

The New Hampshire Department of Environmental Services (NHDES) is required by statute to notify owners of all property which contains a water supply well and is within 500 horizontal feet of a well where contamination is discovered.

Please be advised that NHDES has recently obtained information that one or more groundwater monitoring wells within 500 feet of the property referenced in the subject line exceeds the Ambient Groundwater Quality Standards (AGQS) for one or more of the following contaminants: perfluorooctane sulfonic acid (PFOS), perfluorooctanoic acid (PFOA), or pentachlorophenol (PCP). Please see Table 1 for additional information.

You may disregard this notice if you do not have a water supply well on your property.

This notice is not intended to alarm you – it is for informational purposes and being sent to comply with the groundwater contamination notification requirement of RSA 485-C:14-b, effective May 17, 2004. Laboratory analysis of your drinking water is the only way to find out if your well has been impacted.

Should you wish to sample on your own, a list of accredited laboratories providing well water testing in New Hampshire is available on the [NHDES Private Wells](#) webpage by using the “[FIND A LAB](#)”¹ link. If you elect to sample, please consider sharing your results with NHDES to help characterize the extent of contamination.

If you have any questions regarding this notice, please feel free to contact Jarred Swiontek at (603) 271-1358 or via email at Jarred.P.Swiontek@des.nh.gov. Thank you for your attention to this notice.

¹ <https://tinyurl.com/nhwatertests>, please note that links are case sensitive.

Sincerely,

A handwritten signature in cursive script that reads "Eli Herman". The signature is written in black ink and has a long, sweeping tail that extends to the right.

Eli Herman

Hazardous Waste Remediation Bureau

Tel: (603) 271-2979

Email: Elijah.M.Herman@des.nh.gov

Attn: Table 1 – Groundwater Contamination Notification Program, Notification:
HWRB_20230615_1

ec: Kensington Health Officer
Jarred Swiontek, P.G., NHDES HWRB
Amy Renzi, P.G., State Sites Supervisor, NHDES HWRB

GROUNDWATER CONTAMINATION NOTIFICATION PROGRAM

NOTIFICATION: HWRB_20230615_1

You are being contacted because property you own is within 500 feet of one or more of the samples referenced in the table below. An interactive map of sample locations in the NHDES Environmental Monitoring Database may be found at the following link. NHDES continues to add points to this map as analytical results become available.

<https://tinyurl.com/NHPFASMap>

The current Ambient Groundwater Quality Standard (AGQS) for perfluorooctane sulfonic acid (PFOS) is 15 nanograms per liter (ng/L); perfluorooctanoic acid (PFOA) is 12 ng/L. The current AGQS for pentachlorophenol (PCP) is 1 microgram per liter (ug/L).

STATION ID	ADDRESS	TOWN	DATE	PFOS (ng/L)	PFOA (ng/L)	PCP (ug/L)
GZ-2	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	2.04	2.83	1.2 J
GZ-3	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	7.9	1.7 J	1.8 J
GZ-5	114 DRINKWATER ROAD	KENSINGTON	3/17/2022	171	30.4	< RL
GZ-9U	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	30.3	25.3	Not Sampled
BW-2R	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	21.3	34.2	Not Sampled

(1) Highlighted and bold values exceed respective AGQS

(2) "J" indicates that the laboratory result is an estimated concentration as the analyte exceeds the range of the calibration curve and/or linear range of the instrument.

(3) "Reporting Limit (RL)" means that this is the lowest concentration that can be reported with accuracy by the laboratory. <RL signifies that the compound may be present at concentrations that are less than the RL.



The State of New Hampshire
DEPARTMENT OF ENVIRONMENTAL SERVICES



Robert R. Scott, Commissioner

August 8, 2023



Subject: Groundwater Contamination Notification Program
NHDES Site: Unitil Energy Systems Inc (NHDES Site 199404022)
Site Address: 114 Drinkwater Road, Kensington NH
Property Receiving Notification: 115 DRINKWATER ROAD, KENSINGTON, NH
Parcel Identification Number: 18-002-000

Dear Property Owner:

The New Hampshire Department of Environmental Services (NHDES) is required by statute to notify owners of all property which contains a water supply well and is within 500 horizontal feet of a well where contamination is discovered.

Please be advised that NHDES has recently obtained information that one or more groundwater monitoring wells within 500 feet of the property referenced in the subject line exceeds the Ambient Groundwater Quality Standards (AGQS) for one or more of the following contaminants: perfluorooctane sulfonic acid (PFOS), perfluorooctanoic acid (PFOA), or pentachlorophenol (PCP). Please see Table 1 for additional information.

You may disregard this notice if you do not have a water supply well on your property.

This notice is not intended to alarm you – it is for informational purposes and being sent to comply with the groundwater contamination notification requirement of RSA 485-C:14-b, effective May 17, 2004. Laboratory analysis of your drinking water is the only way to find out if your well has been impacted.

Should you wish to sample on your own, a list of accredited laboratories providing well water testing in New Hampshire is available on the [NHDES Private Wells](#) webpage by using the “[FIND A LAB](#)”¹ link. If you elect to sample, please consider sharing your results with NHDES to help characterize the extent of contamination.

If you have any questions regarding this notice, please feel free to contact Jarred Swiontek at (603) 271-1358 or via email at Jarred.P.Swiontek@des.nh.gov. Thank you for your attention to this notice.

¹ <https://tinyurl.com/nhwatertests>, please note that links are case sensitive.

Sincerely,

A handwritten signature in cursive script that reads "Eli Herman".

Eli Herman

Hazardous Waste Remediation Bureau

Tel: (603) 271-2979

Email: Elijah.M.Herman@des.nh.gov

Attn: Table 1 – Groundwater Contamination Notification Program, Notification:
HWRB_20230615_1

ec: Kensington Health Officer
Jarred Swiontek, P.G., NHDES HWRB
Amy Renzi, P.G., State Sites Supervisor, NHDES HWRB

GROUNDWATER CONTAMINATION NOTIFICATION PROGRAM

NOTIFICATION: HWRB_20230615_1

You are being contacted because property you own is within 500 feet of one or more of the samples referenced in the table below. An interactive map of sample locations in the NHDES Environmental Monitoring Database may be found at the following link. NHDES continues to add points to this map as analytical results become available.

<https://tinyurl.com/NHPFASMap>

The current Ambient Groundwater Quality Standard (AGQS) for perfluorooctane sulfonic acid (PFOS) is 15 nanograms per liter (ng/L); perfluorooctanoic acid (PFOA) is 12 ng/L. The current AGQS for pentachlorophenol (PCP) is 1 microgram per liter (ug/L).

STATION ID	ADDRESS	TOWN	DATE	PFOS (ng/L)	PFOA (ng/L)	PCP (ug/L)
GZ-2	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	2.04	2.83	1.2 J
GZ-3	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	7.9	1.7 J	1.8 J
GZ-5	114 DRINKWATER ROAD	KENSINGTON	3/17/2022	171	30.4	< RL
GZ-9U	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	30.3	25.3	Not Sampled
BW-2R	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	21.3	34.2	Not Sampled

(1) Highlighted and bold values exceed respective AGQS

(2) "J" indicates that the laboratory result is an estimated concentration as the analyte exceeds the range of the calibration curve and/or linear range of the instrument.

(3) "Reporting Limit (RL)" means that this is the lowest concentration that can be reported with accuracy by the laboratory. <RL signifies that the compound may be present at concentrations that are less than the RL.



The State of New Hampshire
DEPARTMENT OF ENVIRONMENTAL SERVICES



Robert R. Scott, Commissioner

August 8, 2023



Subject: Groundwater Contamination Notification Program
NHDES Site: Unitil Energy Systems Inc (NHDES Site 199404022)
Site Address: 114 Drinkwater Road, Kensington NH
Property Receiving Notification: 116 DRINKWATER ROAD, KENSINGTON, NH
Parcel Identification Number: 18-032-000

Dear Property Owner:

The New Hampshire Department of Environmental Services (NHDES) is required by statute to notify owners of all property which contains a water supply well and is within 500 horizontal feet of a well where contamination is discovered.

Please be advised that NHDES has recently obtained information that one or more groundwater monitoring wells within 500 feet of the property referenced in the subject line exceeds the Ambient Groundwater Quality Standards (AGQS) for one or more of the following contaminants: perfluorooctane sulfonic acid (PFOS), perfluorooctanoic acid (PFOA), or pentachlorophenol (PCP). Please see Table 1 for additional information.

You may disregard this notice if you do not have a water supply well on your property.

This notice is not intended to alarm you – it is for informational purposes and being sent to comply with the groundwater contamination notification requirement of RSA 485-C:14-b, effective May 17, 2004. Laboratory analysis of your drinking water is the only way to find out if your well has been impacted.

Should you wish to sample on your own, a list of accredited laboratories providing well water testing in New Hampshire is available on the [NHDES Private Wells](#) webpage by using the “[FIND A LAB](#)”¹ link. If you elect to sample, please consider sharing your results with NHDES to help characterize the extent of contamination.

If you have any questions regarding this notice, please feel free to contact Jarred Swiontek at (603) 271-1358 or via email at Jarred.P.Swiontek@des.nh.gov. Thank you for your attention to this notice.

¹ <https://tinyurl.com/nhwatertests>, please note that links are case sensitive.

Sincerely,

A handwritten signature in cursive script that reads "Eli Herman".

Eli Herman

Hazardous Waste Remediation Bureau

Tel: (603) 271-2979

Email: Elijah.M.Herman@des.nh.gov

Attn: Table 1 – Groundwater Contamination Notification Program, Notification:
HWRB_20230615_1

ec: Kensington Health Officer
Jarred Swiontek, P.G., NHDES HWRB
Amy Renzi, P.G., State Sites Supervisor, NHDES HWRB

GROUNDWATER CONTAMINATION NOTIFICATION PROGRAM

NOTIFICATION: HWRB_20230615_1

You are being contacted because property you own is within 500 feet of one or more of the samples referenced in the table below. An interactive map of sample locations in the NHDES Environmental Monitoring Database may be found at the following link. NHDES continues to add points to this map as analytical results become available.

<https://tinyurl.com/NHPFASMap>

The current Ambient Groundwater Quality Standard (AGQS) for perfluorooctane sulfonic acid (PFOS) is 15 nanograms per liter (ng/L); perfluorooctanoic acid (PFOA) is 12 ng/L. The current AGQS for pentachlorophenol (PCP) is 1 microgram per liter (ug/L).

STATION ID	ADDRESS	TOWN	DATE	PFOS (ng/L)	PFOA (ng/L)	PCP (ug/L)
GZ-2	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	2.04	2.83	1.2 J
GZ-3	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	7.9	1.7 J	1.8 J
GZ-5	114 DRINKWATER ROAD	KENSINGTON	3/17/2022	171	30.4	< RL
GZ-9U	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	30.3	25.3	Not Sampled
BW-2R	114 DRINKWATER ROAD	KENSINGTON	3/16/2022	21.3	34.2	Not Sampled

(1) Highlighted and bold values exceed respective AGQS

(2) "J" indicates that the laboratory result is an estimated concentration as the analyte exceeds the range of the calibration curve and/or linear range of the instrument.

(3) "Reporting Limit (RL)" means that this is the lowest concentration that can be reported with accuracy by the laboratory. <RL signifies that the compound may be present at concentrations that are less than the RL.